The Translational Pulmonary and Immunology Research Center (TPIRC)

Infectious Disease Awareness Platform







TPIRC's


Infectious Disease

Awareness

Platform

Overview

Safety Inside + Out








TPIRC's Infectious Disease Awareness Platform

Every step is carefully planned out







IDAP Safety Zones

Zone Level 1

- Medical/High Risk Facility
- Restricted Access
- All facility airflow management
- Intra-day Sterilization and Decontamination
- Rigorous Personnel Policies

Emergency Room Main Entrance

Zone Level 2

- Controlled environments with managed access
- K-14, Universities, Airports, and Offices
- Selective airflow management
- Daily decontamination and rigorous personnel policies



Zone Level 3

- Uncontrolled environments with public access
- Malls, mixed used spaces, and shared workspaces
- Daily decontamination and sterilization



IDAP Implementation Assessment

Site Assessment

- Space usage review
- Facility walkthrough
- IDAP Zone classification
- Equipment needs determination
- Logistics overview

Policy and Process

- Workplace policy review and development
- Testing and tracking development
- Facility and personnel data management
- Outcomes dashboard


Implementation Rollout

- Procurement and installation
- Training and consulting
- Execution and maintenance









TPIRC | 2020

IDAP Zone Level 2 Example – Screening







Access Screening

- **Comprehensive** check-in procedure each time entering the facility
- Contactless Temperature Check prior to entering
- **Ultraviolet** decontamination of electronic equipment
- Identification card to grant access, monitor hygiene policy, and to aid in trace-tracking

IDAP Zone Level 2 Example - Cleaning







TPIRC | 2020

IDAP Zone Level 2 Example – Employee Hygiene



Policies in Place for:

- Workspace wipe down at beginning and end of day
- Handwashing and hand sanitization
- Masks and use of other protective equipment when social distancing is not possible







IDAP Zone Level 2 Example – Common Areas



IDAP Zone Level 2 Example – Facility Layout



6 Feet Office in Mind

- Workspace dividers when spacing is limited
- **Spacing** and distancing to allow for mask removal
- Masks and use of other protective equipment when social distancing is not possible



IDAP Zone Level 2 Example – Airflow Management



Airflow Devices

- Ventilator systems in high density or high travel locations to reduce airborne threats paired with testing filters for microbials
- Pressure systems to push particles lower to the ground to reduce the opportunity for inhalation of particles



TPIRC | 2020

IDAP Zone Level 2 Example – Dashboard


Compliance Monitoring

- Policy and procedures manual development
- **Human Resources** guides and best practices delivered
- Dashboard application for monitoring and tracking key metrics
- Access to TPIRC's IDAP team for assistance and consulting at anytime
- **Beacon** technology to enable exposure trace-tracking, reducing the need to shut down facility operations










TPIRC | 2020

IDAP Zone Level 2 Example – Employee Health

Contact Tracing Report



Optional COVID-19 Testing and Employee Health

On or Offsite Health

- Access to TPIRC Southern California
 Food Allergy Institute COVID-19 testing
 site
- Health screen and monitoring for employees and staff available
- **Rapid,** 24 hours results for antibody and PCR testing for employees and designated personnel
- **Enhanced** facility access protocol with solution in place for failed temperature screenings or sick employees





